




RHR Type Tensioner

For 3/8" to 1" Pitch Roller Chains
Sprocket with Ball Bearing – Spring-Loaded



Catalog Number	Chain Pitch	No. of Teeth	Max Load (N)	A ±1	B	C	D	E	F	G	H ±1	L	Q	R	S	T
QCT-RHR11103S	3/8" x 7/32"	21	100	58	6	8	35	80	M6	8.5	51	8	22	5	9.2	19.7
QCT-RHR11103D															9.7	16.7
QCT-RHR15503S															9.2	19.7
QCT-RHR15503D			150	71	8	8.5	45	100	M8	10.5	64	8	30	6	9.7	16.7
QCT-RHR15504S	1/2" x 5/16"	16	150	71	8	8.5	45	100	M8	10.5	64	8	30	6	9.2	19.7
QCT-RHR15504D															12.5	19.5
QCT-RHR18804S															9.2	19.7
QCT-RHR18804D			300	84	10.5	8.5	58	100	M10	13	78	10	37	8	12.5	19.5
QCT-RHR18805S	5/8" x 3/8"	17	300	85	10.5	8.5	58	100	M10	13	78	10	37	8	9.2	19.7
QCT-RHR18805D															15.3	23.3
QCT-RHR27706S															9.2	19.7
QCT-RHR27706D	3/4" x 7/16"	15	900	114	15	10.5	78	130	M12	17	107	12	53	10	17.7	25.7
QCT-RHR27708S															8.9	19.4
QCT-RHR27708D															26.4	34.4

NOTE: Orientation of sprocket is supplied as shown. End user can reposition if necessary.

All dimensions are in mm unless otherwise noted.

BELT & CHAIN TENSIONERS

www.econobelt.com

